

# Flags (boolean variables)

Chapter 5.6

# Using a boolean as a switch

- Using `mousePressed` as a condition in an `if` statement doesn't always work as expected
- Declare a boolean as a global variable (meaning declare the variable outside of `draw` and `setup`)
  - The variable can be accessed and modified anywhere in the program

```
// This program changes color of a square as the mouse is clicked
// Author: dustin adams

boolean pressed;

void setup() {
  pressed = false;
}

void draw() {
  background(150);
  if (pressed)
    fill(255, 0, 0);
  else
    fill(0, 0, 255);

  rect(0, 0, 30, 30);
}

void mousePressed() {
  pressed = !pressed;
}
```

```
// This program changes color of a square if you click directly on it
```

```
boolean button = false;
```

```
int x = 50;
```

```
int y = 50;
```

```
int w = 100;
```

```
int h = 75;
```

```
void setup(){
```

```
  size(200,200);
```

```
}
```

```
void draw(){
```

```
  if(button)
```

```
    fill(255,0,0);
```

```
  else
```

```
    fill(0,255,0);
```

```
  rect(x,y,w,h);
```

```
}
```

```
void mousePressed(){
```

```
  if(mouseX > x && mouseX < (x+w) && mouseY > y && mouseY < y+h){
```

```
    button = !button;
```

```
  }
```

```
}
```